

4.2.1 SPECIFICATION

1. Material & Finish:

Insulator: PA9T(UL94V-0), Ivory
Slider: PPS(UL94V-0), Black
Terminal: Phosphor Bronze, Tin Plated
Over Nickel
Me: Brass, Tin Plated Over Nickel



2. Electrical Characteristics:

Operation Voltage: 50V Max.
Current Rating: 0.5 Amp Max.
Contact Resistance: 20 Milliohms Max.
Insulation Resistance: 50 Megaohms Min.
Dielectric Withstanding Voltage: 250V AC RMS.



3. Environmental Characteristics:

Operation Temperature: -40°C ~ +105°C


4. RoHS Compliant



4.3 Recommended PCB Layout



4~39 Pin



Section A-A

4.4 FPV XX V ZA R - H
(1) (2) (3) (4) (5) (6)

(1) FPV: 0.5mm FPC/FFC

(2) XX: No. Of Position

(3) V: SMT Straight

(4) ZA: ZIF Single Contact

4.5 (5) R: Reverse PCB Layout

(6) H: RoHS Compliant

PROPRIETARY AND CONFIDENTIAL



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF AUK AND SHALL NOT BE DISTRIBUTED, REPRODUCED, OR DISCLOSED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION OF AUK.

AUK




A MEMBER OF AUK GROUP

太聯事業股份有限公司
AUK CONTRACTORS CO., LTD.

CATEGORY		APPROVED BY MEI		UNLESS OTHERWISE SPECIFIED TOLERANCES ARE .X ±0.35 .XX ±0.20 ANG. 		 A4	Modify Data	HZF	03/19/2020
PART No. FPVXXVZAR-H		CHECKED BY HZF				 A3	Modify Data	HZF	12/05/2014
DRAWING No. FPVXXVZAR-H		DRAWING BY CYP				 A2	Modify Data	HZF	11/11/2011
						 A1	Modify Data	HZF	05/19/2009
SCALE NONE		REV.	A4	UNIT mm	 A0	NEW RELEASE		HZF	01/26/2007
						NO. REV.	REVISIONS	CHK	DATE





Recommended PCB Layout



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF AUK AND SHALL NOT BE DISTRIBUTED, REPRODUCED, OR DISCLOSED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION OF AUK.

AUK A MEMBER OF AUK GROUP
太聯事業股份有限公司
AUK CONTRACTORS CO., LTD.

CATEGORY		APPROVED BY		UNLESS OTHERWISE SPECIFIED TOLERANCES ARE .X ±0.35 .XX ±0.20 ANG.		△ A4	Modify Data	HZF	03/19/2020
PART No.		CHECKED BY				△ A3	Modify Data	HZF	12/05/2014
DRAWING No.		DRAWING BY				△ A2	Modify Data	HZF	11/11/2011
DRAWING No.		DRAWING BY				△ A1	Modify Data	HZF	05/19/2009
SCALE		REV.		UNIT		△ A0	NEW RELEASE	HZF	01/26/2007
NONE		A4		mm		NO. REV.	REVISIONS	CHK	DATE



8		9		0	
File No.	594KC19217	SHEET	3/3		
Pin	A	B	C	D	E
4	6.20	7.50	1.50	2.62	1.50
5	6.70	8.00	2.00	3.12	2.00
6	7.20	8.50	2.50	3.62	2.50
7	7.70	9.00	3.00	4.12	3.00
8	8.20	9.50	3.50	4.62	3.50
9	8.70	10.00	4.00	5.12	4.00
10	9.20	10.50	4.50	5.62	4.50
11	9.70	11.00	5.00	6.12	5.00
12	10.20	11.50	5.50	6.62	5.50
13	10.70	12.00	6.00	7.12	6.00
14	11.20	12.50	6.50	7.62	6.50
15	11.70	13.00	7.00	8.12	7.00
16	12.20	13.50	7.50	8.62	7.50
17	12.70	14.00	8.00	9.12	8.00
18	13.20	14.50	8.50	9.62	8.50
19	13.70	15.00	9.00	10.12	9.00
20	14.20	15.50	9.50	10.62	9.50
21	14.70	16.00	10.00	11.12	10.00
22	15.20	16.50	10.50	11.62	10.50
23	15.70	17.00	11.00	12.12	11.00
24	16.20	17.50	11.50	12.62	11.50
25	16.70	18.00	12.00	13.12	12.00
26	17.20	18.50	12.50	13.62	12.50
27	17.70	19.00	13.00	14.12	13.00
28	18.20	19.50	13.50	14.62	13.50
29	18.70	20.00	14.00	15.12	14.00
30	19.20	20.50	14.50	15.62	14.50
31	19.70	21.00	15.00	16.12	15.00
32	20.20	21.50	15.50	16.62	15.50
33	20.70	22.00	16.00	17.12	16.00
34	21.20	22.50	16.50	17.62	16.50
35	21.70	23.00	17.00	18.12	17.00
36	22.20	23.50	17.50	18.62	17.50
37	22.70	24.00	18.00	19.12	18.00
38	23.20	24.50	18.50	19.62	18.50
39	23.70	25.00	19.00	20.12	19.00
40	24.20	25.50	19.50	20.62	19.50
41	24.70	26.00	20.00	21.12	20.00
42	25.20	26.50	20.50	21.62	20.50
43	25.70	27.00	21.00	22.12	21.00
44	26.20	27.50	21.50	22.62	21.50
45	26.70	28.00	22.00	23.12	22.00
46	27.20	28.50	22.50	23.62	22.50
47	27.70	29.00	23.00	24.12	23.00
48	28.20	29.50	23.50	24.62	23.50
49	28.70	30.00	24.00	25.12	24.00
50	29.20	30.50	24.50	25.62	24.50
51	29.70	31.00	25.00	26.12	25.00
52	30.20	31.50	25.50	26.62	25.50
53	30.70	32.00	26.00	27.12	26.00
54	31.20	32.50	26.50	27.62	26.50
55	31.70	33.00	27.00	28.12	27.00
56	32.20	33.50	27.50	28.62	27.50
57	32.70	34.00	28.00	29.12	28.00
58	33.20	34.50	28.50	29.62	28.50
59	33.70	35.00	29.00	30.12	29.00
60	34.20	35.50	29.50	30.62	29.50



The All Numbers Tooled Ready

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF AUK AND SHALL NOT BE DISTRIBUTED, REPRODUCED, OR DISCLOSED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION OF AUK.



A MEMBER OF AUK GROUP

太聯事業股份有限公司
AUK CONTRACTORS CO., LTD.

CATEGORY	APPROVED BY	UNLESS OTHERWISE SPECIFIED TOLERANCES ARE	A4	Modify Data	HZF	03/19/2020
PART No.	CHECKED BY	.X ± 0.35	A3	Modify Data	HZF	12/05/2014
DRAWING No.	DRAWING BY	.XX ± 0.20	A2	Modify Data	HZF	11/11/2011
SCALE	REV.	ANG.	A1	Modify Data	HZF	05/19/2009
NONE	A4	UNIT mm	A0	NEW RELEASE	HZF	01/26/2007
REV.	A4	NO. REV.	REVISIONS	CHK	DATE	